

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                               |                          |                      |
|---------------------------|-------------------------------|--------------------------|----------------------|
| <b>Date Reported:</b>     | 7/31/2025                     | <b>Sample ID:</b>        | 20250703-MNMM-002    |
| <b>Client Name:</b>       | M&M                           | <b>Sample Name:</b>      | LIT MSG 1G Preroll   |
| <b>Sampling Location:</b> | Lindenhurst, New York         | <b>Sample Matrix:</b>    | Flower               |
| <b>Contact Name:</b>      | Chris Pennisi                 | <b>Sample Sub Type:</b>  | Pre-roll             |
| <b>Contact Email:</b>     | MandMFamilyCannabis@gmail.com | <b>Package ID:</b>       |                      |
| <b>License Number:</b>    | OCM-PROC-24-000198            | <b>Batch Lot ID:</b>     | LT-1GPR-MSG-0725-001 |
| <b>Medical/Adult Use:</b> | Adult Use                     | <b>Batch Size:</b>       | 977                  |
| <b>Sampling Date:</b>     | 07/03/2025 10:00:00 AM        | <b>Serving Size (g):</b> | 1                    |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>-</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: LIT MSG 1G Preroll (20250703-MNMM-002)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.083       |
| CBDA      | < MRL  | < MRL      | 0.083       |
| CBGA      | 0.111  | 1.110      | 0.083       |
| CBG       | 0.104  | 1.036      | 0.083       |
| CBD       | < MRL  | < MRL      | 0.083       |
| THCV      | < MRL  | < MRL      | 0.083       |
| CBN       | < MRL  | < MRL      | 0.083       |
| D9-THC    | 10.737 | 107.366    | 0.083       |
| D8-THC    | < MRL  | < MRL      | 0.083       |
| D10-THC-S | < MRL  | < MRL      | 0.083       |
| D10-THC-R | < MRL  | < MRL      | 0.083       |
| CBC       | < MRL  | < MRL      | 0.083       |
| THCA      | 10.657 | 106.574    | 0.083       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #119724 | Date Tested: 07/10/2025 09:41 AM

| Potency Summary                                                                            | % w/w  | mg/serving |
|--------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 20.083 | 200.831    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                  | 21.609 | 216.086    |



**Version 2: 07/312025 EJP. COA amended with updated batch ID.**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: LIT MSG 1G Preroll (20250703-MNMM-002)

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.08        |
| Camphene            | < MRL          | 0.08        |
| Sabinene            | < MRL          | 0.08        |
| beta-Pinene         | < MRL          | 0.08        |
| beta-Myrcene        | < MRL          | 0.08        |
| Alpha-phellandrene  | < MRL          | 0.08        |
| Carene              | < MRL          | 0.08        |
| alpha-terpinene     | < MRL          | 0.08        |
| p-Cymene            | < MRL          | 0.08        |
| Limonene            | < MRL          | 0.08        |
| Eucalyptol          | < MRL          | 0.08        |
| Ocimene             | < MRL          | 0.05        |
| gamma-Terpinene     | < MRL          | 0.08        |
| Sabinene Hydrate    | < MRL          | 0.08        |
| Terpinolene         | < MRL          | 0.08        |
| Linalool            | 0.27           | 0.08        |
| Fenchol             | < MRL          | 0.08        |
| Menthol             | < MRL          | 0.08        |
| Terpineol           | < MRL          | 0.08        |
| Citronellol         | < MRL          | 0.08        |
| Isopulegol          | < MRL          | 0.08        |
| Geraniol            | < MRL          | 0.08        |
| Alpha-cedrene       | < MRL          | 0.06        |
| Beta-Caryophyllene  | 0.26           | 0.08        |
| Farnesene           | 0.09           | 0.08        |
| alpha-Humulene      | 0.09           | 0.08        |
| Valencene           | < MRL          | 0.08        |
| cis-Nerolidol       | < MRL          | 0.03        |
| trans-Nerolidol     | 0.09           | 0.05        |
| Caryophyllene oxide | < MRL          | 0.08        |
| Guaiol              | < MRL          | 0.08        |
| alpha-Bisabolol     | < MRL          | 0.08        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #119728 | Date Tested: 07/10/2025 04:48 AM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 0.80   | 10    | PASS      |



**Version 2: 07/312025 EJP. COA amended with updated batch ID.**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: LIT MSG 1G Preroll (20250703-MNMM-002)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.250      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.050      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etioazole               | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.20         | 0.050      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.250      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #119727 | Date Tested: 07/08/2025 05:00 AM



**Version 2: 07/31/2025 EJP. COA amended with updated batch ID.**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: LIT MSG 1G Preroll (20250703-MNMM-002)                                              |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL         | 0.02                                                | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL         | 0.02                                                | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |               | Test ID: #119725   Date Tested: 07/08/2025 05:00 AM |            |

| Heavy Metals: LIT MSG 1G Preroll (20250703-MNMM-002)                                                  |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL         | 110.0                                               | 8.00       |
| Nickel                                                                                                | PASS      | < MRL         | 5.0                                                 | 1.00       |
| Copper                                                                                                | PASS      | < MRL         | 30.0                                                | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL         | 0.2                                                 | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL         | 0.2                                                 | 0.10       |
| Antimony                                                                                              | PASS      | < MRL         | 2.0                                                 | 1.00       |
| Mercury                                                                                               | PASS      | < MRL         | 0.1                                                 | 0.05       |
| Lead                                                                                                  | PASS      | < MRL         | 0.5                                                 | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |               | Test ID: #119726   Date Tested: 07/05/2025 07:46 AM |            |

| Microbiology - Plating: LIT MSG 1G Preroll (20250703-MNMM-002)                   |           |                 |                                                     | PASS        |
|----------------------------------------------------------------------------------|-----------|-----------------|-----------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                  |           |                 |                                                     |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                       | MRL (CFU/g) |
| Total Aerobic Bacteria                                                           | PASS      | 8182            | None                                                | 100         |
| Total Yeast & Mold                                                               | PASS      | 300             | None                                                | 100         |
| Microbiology - qPCR:                                                             |           |                 |                                                     |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) |           |                 |                                                     |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                       | MRL (CFU/g) |
| Salmonella spp                                                                   | PASS      | Absent          | Absent                                              | 1           |
| Shiga toxin-producing E. coli                                                    | PASS      | Absent          | Absent                                              | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)                                  | PASS      | Absent          | Absent                                              | 1           |
| MRL = Minimum reporting limit/limit of quantification                            |           |                 | Test ID: #119730   Date Tested: 07/10/2025 04:32 AM |             |

| Moisture Content: LIT MSG 1G Preroll (20250703-MNMM-002)              |           |            |                                                     | PASS |
|-----------------------------------------------------------------------|-----------|------------|-----------------------------------------------------|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) |           |            |                                                     |      |
| Analyte                                                               | Pass/Fail | Result (%) | Limit (%)                                           |      |
| Moisture                                                              | PASS      | 9.9        | 15                                                  |      |
| MRL = Minimum reporting limit/limit of quantification                 |           |            | Test ID: #119729   Date Tested: 07/08/2025 03:50 AM |      |



**Version 2: 07/312025 EJP. COA amended with updated batch ID.**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Water Activity: LIT MSG 1G Preroll (20250703-MNMM-002)                           |           |                                                     | PASS            |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------|-----------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                                                     |                 |
| Analyte                                                                          | Pass/Fail | Result ( $a_w$ )                                    | Limit ( $a_w$ ) |
| Water Activity                                                                   | PASS      | 0.51                                                | 0.65            |
| MRL = Minimum reporting limit/limit of quantification                            |           | Test ID: #119731   Date Tested: 07/08/2025 03:50 AM |                 |



Matthew Elmes  
Lab Director  
7/31/2025



**Version 2: 07/312025 EJP. COA amended with updated batch ID.**

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.